




anthos.com



**BU MEDICAL EQUIPMENT**  
**SEDE LEGALE ED AMMINISTRATIVA**  
**HEADQUARTERS Cefla s.c.**

Via Selice Provinciale, 23/a - 40026 Imola - Bo (Italy)  
tel. +39 0542 653111  
fax +39 0542 653344

**STABILIMENTO**  
**PLANT**

Via Bicocca, 14/c - 40026  
Imola - Bo (Italy)  
tel. +39 0542 653441  
fax +39 0542 653601



Making Your Life Better.



05/2025 ACR7GB251S00  
Due to our policy of constant technological upgrading, technical specifications may be subject to change without prior notice.  
According to the standards in force, in non-EU areas the availability and specifications of some products and/or features may vary. Please contact your local distributor for further information.



**R7**



**Anthos**  
**Classe R7**

CONTINENTAL  
INTERNATIONAL  
CART  
MODULAR

**en**  
**hance**

EN

# en hance

## enhance versatility.

Repositionable and suitable for all surgery layouts, Classe R7 takes the versatility concept to a whole new level. A repositionable unit lets users switch from a right-hand to a left-hand configuration in just a few simple steps.

## enhance technology.

Integrated Anthos technology gives dentists access to advanced clinical functions and lets them perform endodontic and implantology work with the instruments on the dental unit. Classe R7 is a comprehensive tool, essential for providing advanced dentistry services.

## enhance modularity.

Outstanding versatility takes the form of modularity, guaranteeing ergonomic solutions designed to suit any surgery layout. Wherever it's used, from private clinics to hospital dentistry departments, the Classe R7 is indubitably the right choice.



**Anthos  
Classe R7.**



ENJOY THE DIFFERENCE

Anthos  
**Classe R7**  
Continental  
Cart  
Ortho







ENJOY THE DIFFERENCE

# Anthos **Classe R7 Modular** International Cart



6



7




# Anthos **Classe R7** Single patient chair



# Fast, simple, effective re-positioning


With its innovative switchover movement, the Classe R7 can be converted from right to left-handed use and vice versa in just a few steps. The mechanism that allows unit repositioning has been designed to simplify the

conversion, which can be completed in mere seconds without any need for tools or technicians. The dentist's module, unit body and assistant's module can be set up in rapid sequence for use by left-handed dentists.



Easily applied on either side of the dentist's module, the control panel offers maximum ergonomics. Just detach the instrument control panel, rotate the connector 180° and then reconnect the instrument control panel on the opposite side of the module.

## QUICKSWITCH





# Ergonomic design, comfort and style

ISO-JOINT

In addition to streamlined style, patient chair design optimises working ergonomics for the dentist and comfort for the patient. Thanks to ISO-JOINT geometry, compensated backrest-seat movement

maximises comfort and minimises sliding of the patient's head. Type-approved to lift up to 160 kg, the patent chair offers extensive vertical excursion.




## Keypad.

Conveniently integrated on both sides of the seat, the keypad controls all patient chair movement.



## Armrests.

Both armrests provide comfort and can be rotated.



## Backrests.

A choice of several backrest types - narrow, wide and Nordic - meets all the dentist's ergonomic needs.

As always, the backrest guarantees patient comfort and easy access.



## Headrest.

In addition to the version with 2-axis adjustment and mechanical locking, an optional Comfort headrest faithfully follows the lines of the patient's anatomy. Orbital 3-axis movement allows perfect positioning of the head, ensuring patient comfort during prolonged treatment sessions.




# Style for the surgery

## PERSONALISE

Tapered patient chair shaping lets the surgery staff operate fluidly and hindrance-free. What's more, essential shaping makes surface sanitisation easier and more effective. Standard upholstery (which can be matched

with seats) is hard-wearing, seamless and available in 19 different colours to allow eye-pleasing personalisation of the dental surgery.



### Memory Foam padding.


Optional Memory Foam padding offers patients an exclusive wellness experience.



## COLOUR RANGE

141 171 Papyrus Beige  
142 172 Anatolian Hazelnut  
143 173 Arabian Gold  
140 170 Brazilian Brown  
144 174 Ruby Red  
102 198 Atlantic Blue  
113 183 Pacific Blue  
106 196 Mediterranean Blue  
136 186 Indian Blue  
135 194 Venetian Red  
115 195 Scottish Salmon  
132 192 Blueberry Violet  
134 184 Japanese Wisteria  
103 182 Nevada Yellow  
123 193 Polynesian Green  
101 197 Caribbean Green  
137 187 Bright Silver  
121 199 Anthracite Grey  
130 180 Graphite Black

### Standard upholstery



### Memory Foam padding



# Operating efficiency and plenty of space

**RATIONALISE**

Classe R7 provides outstanding freedom of movement. Rationalising the workspace according to the required treatment demands thoughtful layout of all the elements in the operating area, ensuring dentist and assistant are

positioned optimally around the patient. The freedom provided by Classe R7 results in smooth workflows and maximum working efficiency.

## Patient chair rotation.

The Classe R7 can be adapted to match both surgery layout and treatment type. Rotation is achieved thanks to the pivot, a mechanical device that features horizontal-plane rotation of  $\pm 30^\circ$  around a central fulcrum underneath the patient chair.

The optional pivot function is available on the patient chair in all Classe R7 configurations, from the chair only to the comprehensive version with unit body.

Patient chair mobility ensures all surgery staff members can perform their tasks efficiently.



ENJOY THE DIFFERENCE



## Soft Motion.

The Classe R7 patient chair features movements that use Soft Motion technology. This ensures gradual, fluid, silent, vibration-free starts and stops, making the patient experience particularly relaxing.

## Slow Mode.

Available as an option with Soft Motion, this mode lets dentists make extremely fine patient chair movement adjustments.

These almost imperceptible adjustments are extremely useful during implantology work or while using the microscope.



MANAGE

# Perfect control

The control panel lets users manage all dental unit functions and personalise parameters with ease using integrated devices. Classe R7 features the Full Touch Clinic control panel

as standard. On the optional Full Touch Multimedia version, advanced functions also let users display images and videos.



## Voice controls.

Available as an optional, the voice assistant optimises 'patient chair time', minimises physical contact with accessory systems and streamlines tasks performed without an assistant. The system recognises micromotor/scaler mode voice commands; voice control also lets users switch on/off and adjust the operating light, and move the patient chair to set positions or saved working positions. It can also start the timer when performing clinical procedures such as impression-taking.



## NFC connectivity.

The dental unit also features the option of NFC connectivity. The system has a microchip integrated on the dental unit and an IP68-rated silicone NFC bracelet. This practical, light, easily sanitised bracelet is brought up to the side of the dentist's module with the NFC symbol: the dental unit instantly recognises the dentist and the software applies the settings he/she previously saved during registration. Useful in multi-user practices, the system has 20 memory slots (i.e. for up to 20 dentists). Users can save personalised settings for the patient chair, for integrated instruments, interface preferences and automatisms for operating light, cuspidor bowl and cup. Every time the dentist links to the dental unit by bringing the bracelet up against the dentist's module, the system recalls all saved custom settings.



## Maximum versatility.

The 7" multitouch HD screen offers immediate data display and can, on the Continental model, be rotated from vertical to horizontal and switched from one side of the dentist's module to the other.



## USB.

A convenient USB port lets individual dentists save and download their personalised settings, a feature that's extremely useful in surgeries with two dentists or more. Acquired images can also be downloaded.



## Multimedia control panel.


The Multimedia console can be used to display HD images captured with the camera and X-rays acquired via the integrated system. It can also play video clips illustrating dental unit use and maintenance.





REMOTE ASSISTANCE

# Anthos Connect



## Patient presence sensor.

The patient chair can be equipped with a sensor (optional) that detects patient presence; this is connected to the stand-by function, thus reducing energy consumption when the patient chair is not actually occupied. Where the Di.V.A. is employed, the sensor gathers and processes statistical data on dental unit use. Dentists can, at their discretion, link the sensor to automatisms (e.g. operating light on/off according to whether a patient is present or not).



All products in the Anthos dental unit range are equipped with an integrated device that allows internet connection. This means the practice can rely on a real-time remote diagnosis and technical support service. Moreover, Di.V.A.\* (Digital Virtual Assistant) lets dentists track their use of the dental unit, of the instrumentation and of the completed disinfection cycles, all on a simple

dashboard. Just open any browser to access the digital virtual assistance services website. Constantly updated, these services are available on the cloud, are specific to the purchased model and do not require any software downloads.



## General use.

It's possible to monitor usage of a single dental unit or the complete installed machine pool. This means a dental practice owner or a dental practice chain can track how their dental units are being used, as quantified by the optional sensor that detects patient presence or operating light activation.



## Disinfection cycles.

The Di.V.A. tracks frequency of hygiene system use. It logs each system start to build up a record of performed disinfection cycles. Useful for in-practice inspections, it also estimates consumption and monitors effective reactivation of equipment.

## Using the instruments.

The dashboard lets users monitor how the integrated instrumentation is actually used, with info on individual instrument work modes (Conservative, Endo, Implant) included. This helps estimate maintenance requirements or assess the need for upgrades on some machines.

## Tutorials and user manuals.

Thanks to Di.V.A., users can access tutorials specific to the purchased model (e.g. a video showing how to disassemble the cuspidor bowl or fill the tanks used for disinfection). Users also have direct access to the constantly-updated online use and maintenance manual.





# Full endodontic functions

ENDO MODE

Since Classe R7 can incorporate a complete endodontic therapy applications system, dentists no longer need to obtain stand-alone instruments to perform root canal treatment. This system includes a micromotor,

an integrated database of suitable contra-angles and endodontic files, Autostop-Autoreverse-Autoforward functions and an electronic apex locator. All of these can be precision-controlled via the Full Touch panel.



## Contra-angle.

With a 4:1 reduction ratio, EVO E4 can be autoclaved and heat-disinfected. A miniaturised head aids access to difficult-to-reach treatment zones.

## i-MMs micromotor.

Light, compact and fully autoclavable. Fine, precise torque adjustment.



## Apex locator.

The apex distance is shown on the display during the root canal instrumentation phase. The nearing of the apex is verified by the ENDO software. Once the apex is reached the Apex-Stop function interrupts micromotor rotation.

## Reciprocating mode.

A combination of reciprocating mode, with alternating rotation movement, and the EVO E4 contra-angle allows the use of RECIPROC®, RECIPROC BLUE® and WAVEONE GOLD® endocanal files.

The endodontic file brand names are not owned by Cefla or any of its subsidiaries.

Essential data is displayed during treatment, ensuring complete control. The software automatically sets torque and speed; alternatively, dentists can set values according to personal requirements.




# Integrated implantology devices

## IMPLANT MODE

Smooth integration of brushless micromotor, peristaltic pump and dedicated surgical handpiece gives rise to an integrated implantology system controlled via the Full Touch panel. Speed, torque and pump delivery rate parameters can be selected and saved at any time.

A simple, user-friendly interface lets users manage every single work stage quickly and precisely. This set-up eliminates the bulk associated with on-cart stand-alone systems.



### i-MMs micromotor.

Autoclavable and easy to handle, the micromotor, paired with the EVO R20L contra-angle, can reach a torque of up to 70 Ncm and provides the perfect response to the implantologist's every need. The software allows precise, safe control of speed and torque.



### EVO R20L contra-angle.

Designed for implant surgery, it can be removed, autoclaved and heat-disinfected. Features internal cooling and external spray. LED lighting is powered by an integrated generator.



### Peristaltic pump.

Controlled by the Full Touch control panel, the peristaltic pump is incorporated on the dentist's module, thus eliminating the bulk of modules, carts and rheostats.



### Torque curves.

This function allows constant monitoring of the torque delivered by the micromotor and provides a complete report on each stage of treatment. Exportable via USB stick: the .csv format is used for academic assessment, the PDF provides a document to be filed with medical records and the .png file is perfect for fast viewing on the Multimedia display.

With the integrated camera, the curve can also be displayed on the dental unit monitor. Clearly displays data during treatment and a useful asset in academic and training activities.





# Working with the utmost safety and effectiveness

CONSERVATIVE MODE

Always looking for ways to make the dentist's work more effective, Anthos provides new technologies that streamline dental tasks and thus speed up treatment.

Hence the introduction of a new optional feature on our micromotor range.





## Micromotors with FIT technology.

In addition to improvements that reduce both weight and noise, Anthos micromotors are now available with FIT (Fluorescence-aided Identification Technique) technology to detect any composite materials on the surface of the tooth.

Activating the UV LED lights incorporated in the micromotor highlights all composite materials to distinguish them clearly from natural tooth. In the case of old composite that needs to be reworked, this visual aid helps dentists shorten treatment times and operate more precisely and safely. It also provides excellent dental inspection support by clearly identifying any composite materials present.

## Easily visible.

The composite material on the surface of the tooth is revealed by the UV LED light. This lets dentists remove post-restorative or cementing composite material and all direct and indirect excesses/overflows with precision.



"The development of this functionality was carried out with the scientific collaboration of Professor Antonio Cerutti and Professor Zsolt Kovacs. Clinical images courtesy of Professor Antonio Cerutti."

## For orthodontists.

Following the completion of fixed brace treatment, after bracket removal, identifying excess composite material is simpler and more effective if the material is clearly highlighted by the fluorescence-activating LED light emitted by the micromotor.



## Aesthetic treatments.

Being able to detect the composite material that secures the invisible attachments using UV LED light is extremely useful during removal procedures. Dentists can thus proceed more safely, confident that no composite traces will be left on the tooth.






# Choice of advanced instruments

A latest-generation microprocessor and a user-friendly control panel ensure dentists can control a full range of instruments, simply and precisely. Work modes can be set for each instrument and real-time, user-friendly usage info is shown on the 7" display.

## LATEST GENERATION

Turbine, micromotor, scaler, curing light and intraoral camera settings can be adjusted for specific dentistry specialisations. An intraoral camera or curing light can be added as the sixth instrument.



### HIGHER POTENTIAL

In addition to their advanced clinical performance, the full potential of Anthos-developed instruments is brought out by full integration with dental unit electronics. Dentists can personalise operating parameters to suit their specific discipline and user profile. Together with its integrated instrumentation, Classe R7 boosts the surgery's clinical potential significantly.



#### FLUO micromotors.

Available as an option on both micromotors, UV LED light highlights composite materials.



#### Micromotors.

Three versions: i-MMr (3.3 Ncm) with and without LED; i-MMs (5.3 Ncm) with LED lighting, also for endodontic and implantology treatment. From 100 to 40,000 rpm.



#### Scalers.

With or without LEDs, handpieces compatible with the best tips on the market. Highly useful in ENDO mode as root canal treatment instruments.



#### Turbines and contra-angles.

Dentists can use a broad range of turbines and contra-angles for specific dentistry tasks.



#### Syringes.

Ergonomically-shaped 3- and 6-way syringes are available. The metal syringe body and the tip (both straight and angled are available) can be removed and autoclaved.



#### T-LED.

T-Led has an emission spectrum for activation of the latest-generation composites. It features a swivel grip, a user-friendly interface and the bracket programme - one of the seven available - consisting of 5 brief, emissions.



#### HD camera.

The C-U2 has glass optics and a LED light diffuser. It incorporates an HD 16:9 sensor that captures high-definition clinical images.




FLUIDITY

# Freedom of movement

Continental version design makes the most of the manoeuvrability of individual dental unit modules. By enhancing interaction within the dental team, workflows are smoothed and streamlined. The streamlined module is light and compact while the instrument levers, which


reduce vertical bulk, minimise interference with the operating light and allow considerable extension. Each lever has individually adjustable traction force and balance.

Equipped with the option of SideFlex technology, the instrument levers ergonomically follow sideways tubing movement. The coupling reduces on-wrist traction and fatigue while optimising instrument recovery from every working position.



## Outstanding ergonomics.

Whatever the treatment zone, positioning is easy and ergonomic thanks to the broad excursion of the new, module arm system and its pneumatic vertical release mechanism.





FLEXIBILITY

# Ergonomic versatility


The International module handpieces can be gripped with ease from any working position. The instrument layout is the result of modern design and meticulous analysis of dentists' needs. A blend of optimal control panel visibility,

instrument accessibility and spatial organisation ensures unrivalled ergonomics. A transthoracic version of the large tray holder module is also available, a useful aid during surgery sessions.



## CLASSE R7 CART

The Cart version ensures absolute working freedom. The outstanding mobility of the dentist's module makes it perfect for any workplace and optimal for operating theatres. It provides all the necessary around-the-patient space yet is equally capable of letting one, two or even three staff members work simultaneously. Height-adjustable, the module features an easy-grip handle and a large table area.





# Made-to-measure assistant's side

CONFIGURE

Classe R7 maximises assistant-side configurability. Solutions with a 3 or 5-holder assistant's module are available. Mounted on a height-adjustable double-articulated arm, this highly useful module incorporates a

glass-protected touchscreen that controls patient chair movement and other key functions such as activation of hygiene systems (where applicable), water to the cup, operating light on/off, rinse and stand-by.



## Assistant's module with 5 instruments.

The optional module has 5 instruments. It can assume any position needed to maximise working ergonomics. The 2 cannulae can be combined with a selection of up to 3 handpieces, including camera, syringe, T-LED curing light or a dynamic instrument.



## Assistant's module with 3 instruments.

Supplied as standard, the 3-instrument module can assume multiple positions, ensuring an effective response to every clinical need.

On ambidextrous models with a unit body, a positionable stainless steel tray holder module completes the accessories range.



## Modular Version.

On Classe R7 Modular versions, the assistant's module can easily be positioned on both sides of the patient chair thanks to the articulated height-adjustable arm which swivels around the pin located behind the seat.



## Cuspidor bowl with optical sensor.

The water-to-cup delivery system can be equipped with an optional automatic filling sensor. The ceramic cuspidor bowl is fully removable to allow fast, efficient sanitisation. A powered cuspidor bowl is also available as an optional. In this case the software synchronises rinse tasks and patient chair movement.



## Swivel tray holder.

The cuspidor bowl can be replaced with a swivel tray holder installed on the front cover of the unit body.



# Configuration for orthodontists

Designed specifically for orthodontists, the version with a special arm attached to the rear of the chair includes a higher-performance module to streamline treatment flows. The extensive arm rotates freely from one side

## HIGHER PERFORMANCE

of the patient chair to the other and incorporates the 5-holder module for syringe, suction and dynamic instruments, plus a small display incorporated in the control panel.



### Module for orthodontists.

Orthodontists can choose a module configuration with holders for two cannulae, a syringe and two dynamic instruments (turbine, scaler or micromotor).

The display indicates instrument speed or power and the keyboard lets users control the operating light, patient chair and the instruments themselves.

An optional adjustable tray holder module provide dentists with further convenience.







TECHNOLOGY

# Operating light

LED operating lights ensure optimal illumination of the treatment area. Today's technology allows lighting

parameters to be adjusted as per individual clinical requirements.



## Venus LED MCT.

The Venus LED MCT lamp rotates on three axes to ensure perfect lighting of the operating field whatever the task or position. The No Touch sensor can switch the lamp on/off and adjust light intensity up to 50,000 Lux.

The innovative system makes it possible to provide just the right light for every clinical discipline, with 3 different temperature values: warm (4,300 K), neutral (5,000 K) or cool (5,500 K) light. The special **Curing Mode** function modifies light wavelength to prevent pre-polymerisation of the compounds, simultaneously ensuring optimal lighting.



## Venus LED MCT View.

The Venus LED MCT View combines a 4K camera with PC software to capture ultra-high-definition images and videos. The Full Touch control panel and multimedia system let users operate the various functions (recording, zoom, image capture and Smart Focus) via user-friendly icons or optional voice-activated controls. The Smart Focus system features liquid lenses, ensuring fast, optimal digital focusing. In addition to smoothing practitioner-patient communication, the camera is also, thanks to recordings and multimedia streaming, a useful aid for clinical training, treatment documentation and academic disclosure.



**4K**  
ULTRA HD



## Venus Plus SCT Composite.

LED lamp equipped with 4 light sources, placed outside the reflector body that create a large spot-lit area, minimising shadows. A further 2 central light sources generate a beam with different wavelengths: this prevents pre-polymerisation of composites.



# Effective communication

The Classe R7 comes ready for integration with a multimedia system, with imaging and X-ray devices providing excellent communication. The immediate availability of diagnostic data enhances medical team efficiency, eliminating downtimes and workflow interruptions.

With the integrated camera, the image can be duplicated on the 7" Full Touch Multimedia control panel and can also be enlarged for a better view of the details. When the dental unit is connected to the surgery network, images from a PC can also be viewed. The patient has a clear picture of his or her condition. Immediate and clear sharing of information strengthens the relationship with the dentist.

This facilitates accurate evaluation of the patient's state of health and treatment possibilities.

## 22" LED Monitor.

Full HD 16:9 monitor with excellent brightness and contrast levels thanks to the LED light sources. A certified medical device, visible from all angles, it is also available in a multitouch version and can be installed with 2 different types of support.

## C-U2 HD camera.

High-resolution images aid dentist-patient communication. User-friendly and requiring no manual adjustment, its slim design means distal zones can be reached with ease.

## Zen-X.

X-ray sensor integrated in the dentist's module, ready to use with USB cable. Able to capture HD images with low X-ray doses, the sensor comes in two different sizes. The sensor can be sanitised and is IP67-certified against water and dust infiltration.

## Full Touch Multimedia.

The "pinch to zoom" feature on the Full Touch Multimedia control panel with smartphone technology allows users to enlarge or reduce HD images acquired with a camera or digital X-ray sensor or saved from a USB port or PC.

## Venus LED MCT View.

The Venus LED MCT View with integrated 4K camera is a powerful tool for sharing clinical information with patients to aid their understanding of treatment.

# Protected environment

Workplace safety - for patient, dentist and assistant alike - depends on the effectiveness of integrated systems, and Anthos has one for every need.

The Full Touch panel gives users full control over devices and also can be used to manage individual sanitisation or disinfection cycles.



**DVGW CERTIFICATE**  
The dental unit water circuit is EN 1717 compliant.



## SAFETY

A combination of active devices and constant defence against contamination form the bedrock of the Anthos hygiene system. Careful design of dental unit components at risk of contamination makes surface cleaning tasks easier and more effective. Safety in the surgery is further enhanced by the presence of removable parts and suitable materials.



**Cuspidor bowl unit.**  
Fully removable for fast, effective sanitisation, the cuspidor bowl unit consists of parts that are easy to clean and disinfect (ceramic as standard or, as an optional, glass).



**Systems control.**  
Because all systems are fully integrated with the dental unit electronics, dentist and assistant can monitor and personalise procedures via the Full Touch display.



## BIOSTER and FLUSHING.

The automatic BIOSTER system performs intensive disinfection of instrument spray internal circuits with an antiseptic liquid (Peroxy Ag+). Each stage of the cycle is controlled by the software and settings can be personalised by the user. FLUSHING gives the spray ducts a fast rinse to eliminate any stagnant liquid from tubing. Its use is recommended every morning when the surgery opens.



**A.C.V.S.**  
Automatic system for the flushing and cleaning of the suction system. Allows sanitisation to be performed between one patient and the next.



**O.D.R.**  
As-standard mechanism that automatically emits an air jet to clean any residual liquids or solids from the handpiece after use.



**Double filters.**  
These easily removable filters make emptying and cleaning tasks simple.



**Upholstery.**  
Easy-to-sanitise, durable seamless padding.



**Handpiece support.**  
Instrument support mat in autoclavable silicone.



**Removable instrument levers.**  
The optional SideFlex instrument levers can be removed to aid cleaning tasks.



# The value of choice

A broad range of accessories lets dentists personalise the operating unit according to their specific needs.

## Foot control.

Three different ergonomic designs are available, each of which has a wireless version. These allow activation of Chip Air/Water, micromotor rotation inversion, patient chair movement and recall of saved positions.



## Headrest.

In addition to an adjustable 2-axis version with mechanical lock, the Comfort model features a pneumatic lock system and 3-axis movement for freer, more precise positioning.



## Stop Vacuum.

Device integrated in the patient chair base: when pressed it stops suction without the user having to replace the cannulae in the holders.

## Seats. A range packed with ergonomic solutions.



**S9** is the latest-generation saddle-shaped active seat with tilt mechanism. Evens out weight distribution and corrects posture to minimise strain on the spine.





**S7** for the dentist, height-adjustable and with the option of adapting the backrest angle.



**S8** for the assistant, with a circular seat to aid the frequent position adjustments required during treatment.

Each model contributes to maintaining energy levels and a feeling of well-being throughout the day.





	CLASSE R7			CLASSE R7 - MODULAR		
HYGIENE SYSTEMS	CONT	INT	CART	CONT	INT	CART
Tank for independent water feed	●	●	●	●	●	●
FLUSHING – Water circuit rinse-out device	○	○	○	○	○	○
BIOSTER S – Automatic spray water circuit disinfection system	○	○	○	-	-	-
A.C.V.S. Suction System flushing and sanitation	○	○	○	-	-	-
O.D.R. device - liquid anti-retraction	●	●	●	●	●	●
DENTIST'S MODULE						
i-MMs Micromotor with f.o. (100-40,000 rpm) with torque adjustment, autoreverse and autoforward	○	○	○	○	○	○
i-MMr micromotor (100-40,000 rpm)	○	○	○	●	●	●
i-MMrL micromotor with f.o. (100-40,000 rpm)	●	●	●	○	○	○
Micromotor i-MMs FLUO with FIT technology	○	○	○	○	○	○
Micromotor i-MMrL FLUO with FIT technology	○	○	○	○	○	○
Anthos u-PZ 6 scaler	○	○	○	○	○	○
Anthos u-PZ 7 f.o. scaler	○	○	○	○	○	○
3-way syringe	●	●	●	●	●	●
6-way syringe	○	○	○	○	○	○
6th instrument	-	○	○	-	○	○
Integrated ZEN-X X-ray sensor	○	○	-	○	○	-
Removable stainless steel tray holder module suitable for 2 standard trays	●	○	-	●	○	-
Integrated apex locator	○	○	○	○	○	○
Reciprocating mode module	○	○	○	○	○	○
Peristaltic pump kit with saline solution irrigation set	○	○	○	○	○	○
“Torque Curve” implant function	○	○	○	○	○	○
Voice Control system	○	○	○	○	○	○
NFC multi-operator system	○	○	○	○	○	○
UNIT BODY						
Motor-driven cuspidor bowl	○	○	○	-	-	-
Tray holder configuration instead of cuspidor bowl	○	○	○	-	-	-
Water-to-cup heater	○	○	○	-	-	-
Spray heating	○	○	○	○	○	○
Venus LED SCT Composite operating light	-	-	-	●	●	●
Venus LED MCT operating light	●	●	●	○	○	○
Venus LED MCT View operating light	○	○	○	○	○	○
PATIENT CHAIR						
Patient chair rotation ±30° with pneumatic stop	○	○	○	○	○	○
Standard 2-axis headrest	●	●	●	●	●	●
Comfort 3-axis headrest	○	○	○	○	○	○
Power Pedal foot control	○	○	○	○	○	○
Pressure-operated foot control	○	○	○	○	○	○
Multi-function foot control	●	●	●	●	●	●
Power Pedal foot control - wireless	○	○	○	○	○	○
Pressure-operated foot control - wireless	○	○	○	○	○	○
Multi-function foot control - wireless	○	○	○	○	○	○
Control keypads on seat side	●	●	●	●	●	●
Rotating patient armrests (right and left)	○	○	○	○	○	○
Patient presence sensor	○	○	○	○	○	○